




COMPLIANT FLOOR SYSTEMS
AUSTRALIA

**Is slip resistant flooring a requirement
in your next project?**

**We guarantee all our products
will meet the Australian Standards
for slip resistance!**

Knowing the difference between what areas are considered wet and dry and therefore which P rating to specify can be extremely important.



Here are 3 reasons you should consider non-slip flooring a priority:

- 1** Slips, trips and falls claims are currently the number 1 law suit in Australia
- 2** According to the World Health Organisation, slips and falls are the number 2 cause of unintentional injury deaths worldwide
- 3** Nearly 1 in 3 older Australians have experienced a fall in the past 12 months

How can we help you?

SPECIALISTS IN SLIP RESISTANT FLOORING

1

Specification advice to Architects on required P ratings

2

Polished/honed concrete and Epoxy flooring Guaranteed to be P3 P4 or P5

3

Non-slip flooring treatments for new or existing surfaces to meet P3, P4 or P5

4

Cleaning & Maintenance products for non slip surface care

5

NATA accredited slip testing in all major cities

1

Specification assistance for Architects

If you have large projects that require non-slip flooring and there are some areas open to interpretation when it comes to the P ratings – get in touch with us and we'll guide you through the process so you can have peace of mind you have specified correctly.

CERTIFIED - SAFE - NON-SLIP - TRUSTED - COMPLIANT - GUARANTEED

2

Polished/Honed concrete and Epoxy Flooring with a Guaranteed P rating!

Polished concrete is sought after for its beautiful natural character and hard-wearing properties.

These floors are not always practical due to their high slip potential and inability to ensure a desired P rating.

We have an **Australian first system for a guaranteed P3, P4 and P5 mechanically polished floor. We also have Epoxy and other coating systems available in a P3, P4 or P5 option.**

P3 GUARANTEED – P4 GUARANTEED – P5 GUARANTEED

3

Non-slip floor treatments

Do you have a floor that is non compliant to Australian Standards? Perhaps the P rating stated by the manufacturer is different to the slip rating identified onsite? **If so - We can help!** Our unique non-slip systems are suitable for most surfaces and are ready to walk on in a matter of hours after being applied.

Our systems are suitable for new or existing flooring and **we guarantee we will achieve the desired P rating.**

4

Cleaning & maintenance

Certain cleaning products are known for having ingredients that make a floor look shiny and clean – however these often make the floor more slippery and potentially non compliant within a short timeframe!

Our cleaning agents are specially formulated, to keep the floor in optimal condition and maintain its non-slip properties.

Our cleaners are also natural, biodegradable and ideal for all floors installed by Compliant Floor Systems Australia.

5

Wet Slip Resistance Testing

Eliminate Slip and Trip Potential

Surface slip resistance testing can eliminate slip and trip potential. The cited Australian Standards indicate wet slip resistance requirements for a range of surfaces, including:

- Hotels, offices, public buildings, schools and kindergartens
- External ramps and pavements
- Supermarkets and shopping centres
- Loading docks, commercial kitchens, cold stores, serving areas
- Swimming pools and sporting facilities
- Hospitals and aged care facilities
- Private residential buildings
- New surfaces
- Existing surface

A GUIDE FOR SPECIFIERS

COMPLIANT FLOOR SYSTEMS AUSTRALIA IS PROUD TO PRESENT

SafeSurface™

Available in a P3, P4 and P5 for Coatings, Honed or Polished Concrete and over existing surfaces.



Do you need flooring that requires a slip rating?
We **GUARANTEE** on handover, all our products will comply with AS 4663:2013!
Just specify **SafeSurface™** by **Compliant Floor Systems Australia**

SafeSurface™ is available in 4 different options
depending on your requirements

1

SafeSurface™
Polished

2

SafeSurface™
Honed

3

SafeSurface™
Coat

4

SafeSurface™
Fix

[Click here for a full specification document](#)

P Ratings and Australian Standards

Did you know that manufacturers of flooring materials have their products (tiles, timber, vinyl etc) tested in a lab in order to obtain a certain P rating according to the Australian Standard AS 4586:2013

This P rating is what you likely use to attempt to comply with the Australian Standard for the flooring projects of your clients.

However, once the floor has been installed and handed over, that Australian Standard no longer applies. It is no longer considered a new pedestrian surface. It is considered an existing pedestrian surface.

Your installed floor needs to comply with a different Australian Standard. The AS 4663:2013


In order to comply, you will need an onsite slip test to validate the P rating for the slip resistance of your floor.

Sometimes the P rating given by the manufacturer is unacceptably different to the P rating onsite. Therefore, the floor is not compliant with Australian Standards. Your client could be found negligent in a case against them.

Make sure you are covered with the right systems and advice from Compliant Floor Systems Australia!

We can help you comply with all non-slip flooring projects!

We have systems and solutions for:




CONCRETE



TILES



VINYL



TIMBER



PAVERS



STONE

and many more...




We are a company that understands floor standards and requirements better than anyone and have a solution for EVERY project – We are here to guide you through the whole process!

- ✓ We will provide advice to ensure correct P ratings are specified for all areas
- ✓ We will specify a system that is guaranteed to meet the desired P rating
- ✓ We will ensure the contractor delivers a floor that meets the required P rating
- ✓ We will provide a NATA certified slip test report showing your floor is compliant
- ✓ We will provide an ongoing testing, cleaning and maintenance program to your client

You will have peace of mind that you have done everything to ensure no litigation against you or your client.

Industries we work with



FAQ'S

Q. How should I specify to get a guaranteed P3, P4 or P5 floor?

Contact Compliant Floor Systems Australia on 1300 126 675 or info@compliantfloors.com.au

Q. Do you have non-slip treatments for tiles, vinyl and timber?

Yes, we have liquids and certified applicators that can re-engineer almost any surface.

Q. Are there any flooring types you cannot put a non-slip coating over?

Most surfaces can be re-engineered to a specified P rating.

Q. How long will a non-slip coating last?

There are specific systems for environments of high wear that will withstand the test of time.

Q. Will it change the appearance of my floor?

We have systems that maintain the natural look of the floor as well as systems to completely change the aesthetics.

Q. How often do I need a slip test?

Depending on the situation, every year is a good bench-mark.

Q. Do you liaise with installers to help them achieve the specified P rating?

Yes, we project manage from the initial consultation stages until handover of the compliant floor.

Q. Does Compliant Floor Systems Australia supply flooring including concrete, tiles and timber?

No, we do not supply flooring. We have polished concrete systems and liquid overlays.

CERTIFIED - SAFE - NON-SLIP - TRUSTED - COMPLIANT - GUARANTEED



COMPLIANT FLOOR SYSTEMS
AUSTRALIA

1300 1 COMPLIANT (1300 126 675)
info@compliantfloors.com.au
www.compliantfloors.com.au

ADELAIDE, BRISBANE, GOLD COAST, MELBOURNE AND SYDNEY